


Simply Top Talkers

Jeroen Massar, Andreas Kind and Marc Ph. Stoecklin



Motivation and Outline

- Need to understand and correctly handle dominant aspects within the overall flow of traffic
 - Top-k Problem
 - Optimize peering relationships (top autonomous systems)
 - Analyze congestion cases (top hosts)


- Technical challenge
 - Compute sorted top-n views from very large numbers of flow information records
 - No possibility to store individual counters per aspect components

- This presentation
 - Propose and analyze simple techniques to compute top-k listings for single and composed traffic aspects
 - Show that the techniques are suitable for in-memory aggregation databases

Related Work

- E. D. Demaine, A. Lopez-Ortiz, and J. I. Munro. Frequency estimation of internet packet streams with limited space. In *Proceedings of the 10th Annual European Symposium on Algorithms*, pages 348–360, 2002.
- C. Estan and G. Varghese. New directions in traffic measurement and accounting: Focusing on the elephants, ignoring the mice. *ACM Trans. Comput. Syst.*, 21(3):270–313, 2003.
- Metwally A, Agrawal D, El Abbadi A (2005) Efficient computation of frequent and top-k elements in data streams. In: Proceeding of the 2005 international conference on database theory (ICDT'05), Edinburgh, UK, pp 398–412
- X. Dimitropoulos, P. Hurley, and A. Kind: Probabilistic Lossy Counting: An Efficient Algorithm for Finding Heavy Hitters," *ACM SIGCOMM Computer Communication Review*, Jan. 2008.
- X. Dimitropoulos, M. Stoecklin, P. Hurley, and A. Kind: The Eternal Sunshine of the Sketch Data Structure," *Elsevier Computer Networks*, 2008.


Top-k Problem




- Large number of unique items per observation period
 - Large alphabet
 - Counters and usage arrays don't fit into memory

- How to cut back sorted list?
 - Correct ordering
 - Correct volume information for each item
 - Reduce the cost of inserting new items (that anyway would not make it into the sorted top-k list)


One Threshold Scheme (*max1*)




Merging primary list into secondary list




Two Threshold Scheme ($max1, max2$)




Merging primary list into secondary list



Two Threshold Scheme ($max1$, $max2$) with Heuristic



Merging primary list into secondary list



Heuristics

- 0. Exact




- max1,max2 style:
- No Heuristic
- Short duration (< 1 second)
- Low Packet count in one flow (< 4 pkts)
- Bytes < total_bytes_seen/total_flows_seen (averaging)

- These heuristics are very simple and more importantly ‘cheap’ to implement memory and cpu wise.

Data Set





- We picked three days of data collected at one of the IBM datacenters
- Did an expensive query: calculate the exact top K entries
 - Fortunately there are machines with large amounts of memory and number of cores...
- Then we applied the defined heuristics to the data set, which run in near real-time as we don't need a lot of memory or cpu power to store all the entries
- One of the biggest advantages of course is that one can almost stay in-cache when one has proper cpu's (4 or 8 MiB cache per core)
- results on next slides....
- Note that the dataset represents several Petabytes of network traffic, the 'error' rate in comparison is thus effectively very low.....

Error rate for Top K without heuristic



Amount of bytes that are not seen for top X items

Error rate for Top K when applying various heuristics



Conclusion

- Simple heuristics and thus cheap processing:
 - Differences are minimal for this ‘datacenter’ dataset, other datasets, eg for an enterprise network seem to prefer the ‘bytes < avg’ heuristic a bit more, which makes sense as it is hard to get in the top K unless you can at least beat the average.

- Two thresholds
 - $\text{max2} = 2 * \text{max1}$
 - Correct order up to $k = X * \text{max1}$

Questions?



AURORA

<http://www.zurich.ibm.com/aurora/>

